SKOCLYLAS, A.

The 1955/56 winter season in Tatra Mountains.

p. 222 (Wierchy) Vol. 25, 1956, Krakow, Poland

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

CIA-RDP86-00513R001551020019-7 "APPROVED FOR RELEASE: 03/14/2001

POLAND/Ferm Animels. - Smell Hornod Stock

Q-3

Abs Jour : Ref Zhur - Biol., No 6, 1958, No 25159

Author

: Skoczylas i.

Inst Title : Sheep Breeding, Part I. Trend of Development of Domestic

Sheepbreeding (Issledoveniya po ovtsevodstvu. Ch. I. Naprav-

leniye rezvitiye mestnogo ovtsevodstve)


Orig Pub : Postepy neuk. roln., 1957, 3, No 6, 21-42

Abstract : The problem of the development of sheep-breeding in Poland is discussed from the point of view of supplying the wool needs of the country. Apart from nountainous regions where the milk-wool and fur type of sheepbreeding preveil, the sin of sheep reising should be wool. The creation of corsebred sheep raising is also taken into account. The stock should be telten of long-wool sheep, definite groups endtypes should be distinguished emong them, and subsequently work should be conducted for their breed improvement end for singling out the regions for intensive sheepbrooding.

: 1/1 Card

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001551020019-7"



CIA-RDP86-00513R001551020019-7 "APPROVED FOR RELEASE: 03/14/2001

ारे - अवस्थित केंद्रिकार केंग्निकार सिंद्रिक किया किया सिंद्रिक कि एक का स्वर्ध के एक का का का स्वर्ध का स्वर् SKOCZYIAS, B.; GROSS, M.; FILIPOWICZ, B. . The women and the page Preparation of highly-polymerized desoxyribonucleic acid from the calf thymus. Acta physicl. polon. 8 no.3:523-524 1957. 1. Z Zakladu Chemii Fizjologicznej A. M. w Lodzi Kierownik: prof. dr B. Filinowicz. (THYMUS, extract, desoxyribonucleic acid, highly-polymerized, isolation (Pol)) (DESOXYRIBONUCLEIC ACID, preparation of, from calf thymus, highly-polymerzized prep. (Pol)) arkinsi si siri manga karensi ing karensi ing karensi ing mangalang kareng mangalang m

SKOCZYLAS, Bogna; GROSS, Maria; PANUSZ, H.

The reproducibility of the composition of DN-protein isolated

Acta blochim. pol. 10 no.4:353-

ille fika, aminkajis disa ta joo ta kongrandi. Tiika ta la ta atalatila 1 ana tala ana ka tangon mena menangan

The reproducibility of the composition of bi-protein isolated from purified thymus nuclei. Acta biochim. pol. 10 no.4:353-362 '63.

1. Department of Physiological Chemistry, Medical School, Lodz.

(NUCLEOPROTEINS) (THYMUS GLAND)

(HISTOCHEMISTRY) (DNA) (CHEMISTRY)

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001551020019-7"

CIA-RDP86-00513R001551020019-7 "APPROVED FOR RELEASE: 03/14/2001

SKOCZYLAS, Bognia

POLAND

KOHOFKA, Arystyna; SKOCZYLAS, Bogna

Decartment of Physiological Chemistry, Lodz Academy of Reddicine (Zaklad Chemii Fizjologiczne) A. H. Akademii Reddicine (Zaklad Chemii Fizjologiczne) A. H. Akademii Reddyczne), Lodz), Prof. dr B. Filipowicz, Director

Warsow, Chemin analitycana, No 5, 1963, pp 807-11.

"Analysis of Some Sources of Error in Dische's Nethod of Determining Desoxyribose with Diphenylamine".

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001551020019-7"

BIALKIEWICZ, Zbigniew, mgr inz.; SKOCZYLAS, Stefania, mgr inz.

Bischarge of the battery of star-connected condensers by means of Discharge voltage transformers. Energetyka Pol 13 no.11/12 two V-connected voltage transformers. Energetyka Pol 13 no.11/12 (EEAI 9:7) Biuletyn: 39-40 N-D *9.

1. Zaklad Systemow Energetycznych, Katowice (Electric batteries) (Condensers (Electricity))


The rear of mir-Derma landing troops. (Je by world.) p. 3


The rear of mir-Derma landing troops. (Je by world.) p. 3


The rear of mir-Derma landing troops. (Benedates Wojsk Lotnicarych) Harsanva, Polend,
Yel. 12, no. 5, Nav 1959

Menthly List of East Lurepean Accessions (EEA1) In Yel. 5, no. 1, August, 1959

Uncl.







TYTCTYL S-C1 TEMSKA, K: K'LASA M.

"The b gue ce sands" p. 285

Polskie Towarzystwo Geologiczne, RCCZNIK. Krakow, Foland. Vol. 28, no. 3, 1958

Monthly List of East European Accessions (EFAI) LC, Vol. 8, No. 6, June 1959

SKOCZYLAS_CISZEWSKA, Kamila; KAMIENSKI, Marian


The Inoceramus facies of the Istebna beds of the Misnicz-Roznow region in the Carpathian Flysch. Kwartalnik geol 3 no.4:977-995 '99. (EKAI 10:1)

1. Katedra Zloz Surowcow Sklanych Akademii Gorniczo-Hutniczej w Krakowie. (Poland--Mollusks) (Carpathian Mountains)

POBORSKI, Jozef; SKOCZYLAS_CISZEWSKA, Kamila

Miocene in the zone of the Carpathian Overthrust in the vicinity of Wieliczka and Bochnia. Rocz geol Krakow 33 no.1/3:339-438 '63.

1. Department of Nonmetallic Mineral Deposits, School of Mining and Metallurgy, Krakow.




SKOCZYNSKI, Jan; KOSSMANN, Stefan; KUSMIERSKI, Stanislaw

A case of bronchial rupture after blunt injury of the thorax.
Polski tygod.lek. 15 no.51:1977-1979 19 D '60.

1. Z II Kliniki Chorob Wewnetrznych; kierownik: prof. dr W.Zahorski
i z II Kliniki Chirurgicznej Sl. A.M. w Zabrzu; kierownik: prof.dr
J.Gasinski.

(BRONCHI wds & inj)



H-31 dom Thi Sar Dizi : Politri AND JOYA. : REKHALL, No. 16 1959, Fo. 59525 : Lacezynski. 9. All Little : Not given INST. : Packings Mode from Synthetic Materials, Operating 1320 vader Tenditions of Sliding and Retary Metion. 0.319. PUI. : Fechn Motoryz, 9, No 2, 48-50 (1959) ! The author describes the construction and char-ABBERACT acteristics of gaskets made from perbunan, neoprene, kna/palon [hypelon?], Buna-S, butyl rubper, thiokols, vulmoilan, and silicone ruobers. CARD: 1/L

SKOCZYISKI, W.

The Vauxhall Passenger Automobile Factors in Luton, Bedfordshire, England. (To b. contd.) p.77

I C TRA MOLOLYZA WAWA. (Maczelia Organizacja Techniczna)
Warszawa, Foland. Vol.9, no.3, mar. 1959

Monthl; List of East European Accessions Index, (EEAI) LC, Vol.8, no.66
June 1959
Uncl.

THE CHARGE CHARGE AND THE FORM AND THE PROPERTY OF THE PROPERT

STOCZYWKI, W.

Vauxiall Passenger Automobile Factory in Luton, Bedfordshire, England. Pt. 2. p. 240.

TECHNIKA MOTOPZACYJNA. (Maczeina Organizacja Techniczna) Warzawa, Polanda Vol. 9, No. 6, June 1959.

Monthly List of East European accession (EEAI), LC. Vol. 8, No. 9 September, 1959. Uncl.

"APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001551020019-7 PSTREEGER ASS. (*) 1 State 1 S

SKOSIYITYI, II.


Taking core samples without removing the welhead.


p. 435 No. 9, Sept. 1955


PRESIAD GEOLOGICZNY


Carszava


SOURCE: East European Accessions List (EEAL), LC. Vol. 5, no. 2, Peb. 1956












"APPROVED FOR RELEASE: 03/14/2001


CIA-RDP86-00513R001551020019-7



SKOCZYNSKI, Z.; JACZEWSKI, M.

"Research on Dynamic Overvoltage." p.439
(PRZEGLAD ELEKTROTECHNICZNY Vol. 29, no. 10, Oct. 1953 Warszawa, Poland)

SO: Monthly List of East European Accessions, LC, Vol. 3, no. 5, May 1954/Uncl.



SKOCZYNSKI, Z.

Electric-power systems. 1. General problems, operation, and designing.

p. 171 Vol. 31, no. 8, Aug. 1955 PRZEGLAD ELEKTROTECHNICZNY Warszawa

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 5, no. 2
Feb. 1956

SKOCZYNSKI, Z.

Electric-power stystems . II. MKWSE, 1952 and 1954. Construction of voltage regulators and their influence on the stability of SKOCZYNSKI, Z. electric-power systems. P. 319.

Vol. 32, no. 8, Aug. 1956 PRZEGLAD ELEKTROTECHNICZY TECHNOLOGY Warszawa, Poland

So: East European Accession, Vol. 6, no. 2, Feb. 1957

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001551020019-7"

MASAL'SKI, A.; SKOCHIN'SKI, Z.

Fifteenth anniversary of the Electrical Engineering Institute of Warsaw. Vest. elektroprom. 32 no.12:21-25 D '61.

(MIRA 14:12)

l. Uchenyy sekretar' Instituta elektrotekhniki, Pol'skaya Narodnaya Respublika (for Masal'ski). 2. Direktor Instituta elektrotekhniki po nauchnoy chasti, Pol'skaya Narodnaya Respublika. (Warsaw-Electric engineering)

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001551020019-7"

SEASON IN SULTES STORIES STATES STATES AND THE STAT

SKUCZYRSKI, Zygmunt, doc.

Planning and utilization of electric power systems;
International Conference on Large Electric Systems, 1960.
Przegl elektrotechn 38 no.9:394-399 S '62.

SKODA, Ctirad, MUDr

The fibrin reaction and the schizophrenic process. Neur.psychiat. cesk. 18 no.3:188-195 May 55.

1. Statna leicebna psychiatricka - Pezinok, riaditel' prof.
dr. K.Matulay.
(FIBRIN

reaction in diag. of schizophrenia)
(SCHIZOPHRENIA, diagnosis
fibrin reaction)

SKODA, C.

Some recent findings on the biochemistry of synaptic transmissions.

Activ. nerv. sup. 3 no.2:217-218 '61.

(SYNAPSES)

Radiolodometric picture of thyroid gland activity in a group of schizophrenic patients. Cesk. psychiat; 57 no.4:225-229 18 161.

1. Krajska psychiatricka; liecebna, Pezinok.
(THYROID GLAND physiol.) (SCHIZOPHRENIA physiol.)

SKODA, Ctirad

Open-door therapy of psychoses. Cas.lek.cesk 100 no.27/28:Lek Veda Zahr:156-162 7 J1 161.

1. Krajska psychiatricka liecebna Pezinok, riaditel MUDr. J. Pogady.

(HOSPITALS PSYCHIATRIC)

SKODA, Ctirad

On the problem of the psychogenic effect of cyanacetic acid hydrazide (CEN, CAN, cyanazide VUFBO). Cesk. psychiat. 48 no.1:49-50 F '62.

1. Krajska psychiatricka liecebra, Pezinok.
(HYDRAZINES toxicol.) (ANTHELEINTICS toxicol)
(PSYCHOSES TOXIC etiol)

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001551020019-7"

are a cara ali es senaral da e una disposición de la disposición de la caración de la caración de la caración d

SKODA, Citrad; technicka spoluprace SKROBALOVA, M.; NESTLINGEROVA, E.

Open door treatment of psychoses. II. Escapes and departures by male patients. Cesk. psychiat. 58 no.4:225-237 Ag '62.

1. Krajska psychiatricka liecebna v Pezinku.
(HOSPITALS PSYCHIATRIC) (PSYCHOSES)

SKODA, Ctirad; KLIMO, Zoltan, prof. dr., vedecky redaktor.

The psychotic process and postpsychotic defect. A study on the problem of its objective differentiation in schizophrenia. Lek. prac. [Biol. lek.] 3 no.6:1-142 '63.

1. Krajska psychiatricka liecebna, Pezinok (for Skoda).

CZECHOGLOVAKIA

SKODA, C., affiliation not given .

"Hotes on a Study Tour to the USSR. I. Survey of Research on Schizophrenia"

Prague, Ceskoslovenska Psychiatrie, Vol LIX, No 3, July 63, pp 199-206.

Abstract: Within the framework of the cultural exchange the author visited Moscow and Leningrad from 15 October to 12 November 1962. Main purpose of his study was psychiatric rehabilitation. He presents a survey of the Soviet organization of schizophrenia research and gives some detailed information on the work in seven psychiatry institutes (epidemiological research, biochemistry, electrophysiology, clinical psychology, neurohistology). Forty-eight references, including 1 Czech and 47 Russian.

1/1

SKODA,C.

On an educational trip to the USSR. II. Psychiatric rehabilitation care. Cesk. psychiat. 59 no.62388-395 D*63.

1. Krajska psychiatricka liecebna, Pezinok.

CZEUROSLOVAKIA

SAODA, C.; MESTLINGEROVA, E.; Krajska Mental Hospital (Psychiatricka Liecobna), Pezinok.

"Tril'luoperazine in Chronic Schizophrenia."

Prague, Activitas Nervosa Superior, Vol 8, No 4, Nov 60, pp

Abstract: Trifluoperazine (TEP) is effective in the treatment of chronic schizoparenia with the symptoms of withdrawal, apathy, and patient's behavior. Study of the drug in the treatment of 10 patients showed that TEP has a favorable effect in chronic schizoparenia. Its differential effect on autism and hypodynamy may be related to the prevalence of excitomotor extrapyramidal symptoms when compared to other types of phenothiazines, where generally the hypertonic-hypokinetic syndrome prevails. I Figure, no references. Submitted at the 8th Annual Psychopharmacological Meeting at Jesenik, 18 - 22 Jan 66. Article is in English.

1/1

SKODA, Ervin, dr.,; VISEGRADY, Lajos, dr.

Surgery of benign ulcer of the greater curvature diagnosed by roentgen rays. Orv. hetil. 96 no.9:242-246 27 Feb 55.

1. A Magyar Nephadsereg Mgesgugyi Szolgalatanak kozlemenye. (PEPTIC ULCER, surgery,)

ETSTREETS STATES THE STATES OF TARGET STATES TO THE STATES TO THE STATES OF THE STATES CLEMENS, Marcell, dr.; SKODA, Ervin, dr. Surgery of unusually located osteoclastoma. Magy. sebeszet 9 no.1:47-50 Teb 56. 1. A Magyar Nephadsereg Egesssegugyi Szolgalatanak koslen nye. (GIANT CELL TUMORS osteoclastoma of scapula, diag. & surg. (Hun)) (SCAPULA, neoplasms osteoclastoma, diag. & surg. (Hun))

SKODA, Ervin, dr.; CLEMENS, Marcell, dr.

Spleen implantation (splenosis) after rupture of the spleen.

Magy. sebesset 9 no. 1:75-77 Feb 56.

1. A Magyar Mephadaereg Egessegugyi Szolgalatanak kozlemenye. (SPLEEN, rupt. causing splenosis, surg. & pathol. (Hun))

CLEMENS, Marcell, dr.; SKODA, Ervin, dr.

Intravenous procaine in surgery. Orv. hetil. 98 no.39: 1084-1087 23 Sept 56.

 A Nephadsereg Egeszsegugyi Szolgalatanak közlemenye. (PROCAINE, anesth. & analgesia intravenous, in surg. (Hun))

Notes that the state of the sta

KADAS, Istvan, Dr.; SKODA, Ervin, Dr.; CZUHKO, Geza, Dr.; LUX, Otto, Dr.

Cancer of the polycystic lung with portoperative spontaneous pneumothorax of the contralateral side. Orv. hetil. 100 no.47: 1704-1706 Nov. 22, 59

1. A Pecsi Orvostudomenyi Egyetem Kortonetani Intezetenek (igazgato: Romhenyi Gyorgy dr. Egyet. tamar) es a Baranya megyei Tanacs VB.
Korhusa (igazgato: Steinmetz Endre dr.) oltalanos sebeszeti osztalyanak (foorvos Skoda Ervin dr.) kozlemenye.

(PNEUMOTHORAX, etiol.) (LUNGS, neopl.)

TO THE EXPLORATION OF REPORTED PRODUCES AND REPORTED FOR THE PRODUCE OF THE PRODU

S/137/63/000/002/020/034 A006/A101

AUTHOR:

Škoda, František

TITLE:

Steel welding in CO2

PERIODICAL:

Referativnyy zhurnal, Metallurgiya, no. 2, 1963, 24, abstract 2E138

("Siln. doprava", 1962, v. 10, no. 7, 21 - 22, Czech)

TEXT: A description is given of techniques for welding in $\rm CO_2$ developed at the Bratislava Scientific Research Institute. Welding is performed with a short arc on high currents. A power source with rigid characteristic is employed. (a "S 500 A" Se-rectifier designed at the CKD Plant in Modrzhani). A SUM 1000 automatic machine can be used for submerged arc welding. The machine was redesigned for $\rm CO_2$ supply to the arc. The wire should be alloyed with Mn and Si (e.g. wire 1.6 mm in diameter, produced by the Ostrava VZKO Plant, contains in %: C 0.12, Mn 1.26, Si 0.91). $\rm CO_2$ must be of \geq 99.7% purity with 0.1 - 0.4% water vapor content, <0.1% $\rm N_2$ and minimum admixture of $\rm H_2$ and other gases. It should be supplied in amounts of about 10 liter/min. $\rm CO_2$ drying with silicagel, produced at the Spolana Combine in Neratovits, is recommended. The advancard 1/2

Steel welding in CO2

S/137/63/000/002/020/034 A006/A101

tages and deficiencies of the method are enumerated. Welding in CO₂ is cheaper than submerged are welding by 17.9%, cheaper than manual welding with coated electrodes by 45%, and by 35% than welding in argon. The method makes it possible to weld very thin sections with up to <1 mm thick walls; in many cases welding can be mechanized and can successfully replace semi-automatic submerged are welding. The method is widely used in automobile-repair. The Research Institute of Welding Equipment and Techniques in Khoteborzh carries out successful experiments on reconditioning by automatic building-up of internal combustion engine valves; the building-up of one valve, 42 mm in diameter, consts 3 Czech crowns; a new valve costs 20 crowns.

Ye. Greyl'

[Abstracter's note: Complete translation]

Card 2/2

The first of the control of the first of the finish of the finish of the first of t

SKODA, Frantisck

Economic importance of reconditioning in repair work. Podnik organizace 17 no.2:74-75 F '63.

1. Vyvojove stredisko opravarenstvi, Praha.

PAZIZEK, I.; ARIENT, M.; DIENSTRIER, Z.; SKODA, I.

Excretion of desoxycytidine in the urine after irradiation as an early test for radiation injury. Med.rad. 5 no.3:31-38 160. (MIRA 13:12)

(DEOXYCYTIDINE)

(RADIATION SICKNESS)

TO BELLEVIEW OF THE PROCESS OF THE P

SKODA, J.; VACLIK, V.

"New Automatic Machines For Treatment of Furs", P. 8, (TECHNICKE NOVINY, Vol. 2, No. 8, Apr. 1954, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No. 12, Dec. 1954, Uncl.

⊃K∩uk, J.

Hydraulic dynamometers.

p. 92 (Automobil) Vol. 1, no. 3, Mar. 1957 Fraha, Czechoslovakia

50: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (REAL) LC, VOL. 7, NC. 1, Jan. 1958

ShC.A. J.

Directional stalility of automo iles with a transversely flexible front suspension.

p. 225 (Automobil) Vol. 1, NC. 7, July 1957, Fraha, Czechoslovakia


SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EVAI) LC, VCL. 7, NO. 1, Jan. 1958


SKODA, J.

"Present relations between machine-tractor stations and district and central repair shops."

P. 3. (Ministerstvo zemedelstvi -- Fraha, Czechoslovaka.) Vol. 8, no. 1, Jan. 1958.

SO: Monthly Index of East European Accession (EEAI) LC, Vol. 7, No. 5, May 1958





THE RESERVE OF THE PARTY OF THE

Drina, d.

"What we should take into a count during the fall planting."

MECHANISAC 7HMEDELSTVI, Praha, Czechoslovakia, Vol. 5, No. 19, October 1945.

Monthly List of East European Accessions (EEAI), C, Vol. 8, No. 9, September 1959. Unclassified.

COLOR DE COLOR DE CONTRACTOR D

SKODA, J.

Some experience of machine-tractor stations from the 2d phase of spring work, 1956. p. 197. (Mechanisace Zemedelstvi, Vol. 7, No. 9, May 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAI) LC, Vol. 6, No. 8, Aug 1957. Uncl.

	BOLDA, J.
•	t real all-pear production plan, the most important task of an agronomist in the winter repson. p. 3 (Poclanisace Jemedelstvi Vol. 6, no. 1, Jan. 1956 Praba)
,	To: Lonthly (ist of What Turopean Accession (TMTE) 17, Vol. 6, no. 7, July 1957. Uncl.

SKODA, J.

Let us prepare well for the work of cultivation. p. 137.
University study of agricultural mechanizers. p. 138.

Vol. 6, no. 8, Apr. 1956.

SPORNIK. RAD A MECHANISACE A ELEKTRIFIKACE ZEMEDELSTVI A LESNICTVI

Czechoslovakia

Source: EAST EUROPEAN LISTS Vol. 5, no. 11 Nov. 1956

SKODA, J.

SKODA, J. Let us start plowing early. p. 281
S.D. Harvesting will not be a difficult problem for the Turnov machinetractor station. p. 283.
Red. From the harvest of Slovak fields. p. 284.
(Ba). Merchanized harvest in Samorin District. p. 284. Vol. 15
Aug. 1956. MECHANISACE ZEMEDELSTVI, CZECHOLOVAKIA

GCURCE: Sait European Accessions List (TEAL) Vol. 6, No. 4-April 1957

SPOD:, J.

SKOD:, J. Some remarks on spring flowing. p. 59.

Vel. 7, no. 3, Feb. 1357
MCHALISAGS ZEMMEDELSTVI
A-RICULTURE
Czecheslevakia

So: East European Accession, Vol. 6, No. 5, May 1957

SKODA, J.

Applying last year's experiences in the preparations for the harvest. p.215. (Mechanisace Zemedelstvi, Vol. 7, No. 11, June 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessiors (EEAL) LC. Vol. 6, No. 9, Sept. 1957. Uncl.

The state of the s

SKODA, J.

Grain harvesting in hop areas. p. 320. (Mechanisace Zemedelstvi, Vol. 7, no. 14, July 1957. Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 10, October 195. Uncl.

TO STATE OF THE ST

ShODA, J.

For better results of machine-tractor stations in autumn work. p. 362. (MECHANISACE ZEMEDELSTVI, Vol. 7, No. 16, Aug 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (REAL) LC. Vol. 6, No. 12, Dec 1957. Uncl.

SHODA. J.

September; the month of plowing. p. 335. (MECHANISACE ZEMEDELSIVI, Vol. 7, No. 17, Sept 1957, Praha, Czechoslovakia)

50: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 12, Dec 1957. Uncl.


Endige to the transport of the anterior of the state about the continue of the black and a bout the continue of the black and a state of the state o

SKODA , J.

Paying more attention to the extension of arable land.

P. 457 (Mechanisace Zemedelstvi) Vol. 7. No. 20, Oct. 1957 - Czechoslovakia


SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) IC. - VOL. 7. NO. 1, Jan. 1958



3KODA, Jan, inz.

Special cases of determining the economic effectiveness of investment. Vodni hosp 14 no.7:273-276 *64

1. Ministry of Agriculture, Forestry and Water Resources Management, Prague.



SKODA, Jan, inz.

Prospective planning of the material for public sewer pipes. Vod hosp 15 no.1:17-18 '65.

1. Ministry of Agriculture, Forestry and Water Resources, Prague.

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001551020019-7"

14867

S/081/62/000/024/035/073 B144/B186

AUTHORS:

1 . 500

Hrdina, J., Pechman, M., Skoda, J.

TITLE:

Automatic paper electrophoresis

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 24, 1962, 271, abstract 24E101 (Collect Czechosl. Communs, v. 27, no. 4, 1962, 969 - 973 [Eng.; summary in Russ.])


TEXT: An apparatus for the electrophoretic separation of various substances on paper is described, which can be used for analytic and preparative. purposes. The apparatus, which is fully automatic, controls the duration of electrophoresis, the extraction of the ends of the electrophoretic diagram paper from the electrolyte and their drying, the drying time of all electrophoresis patterns with cold or hot air and the disconnection of the apparatus. Its construction permits safe working with radioactive substances. Methods for the improvement of electrophoretic apparatus are discussed, particularly, for a better utilization of the Joule heat formed in the electrophoretic pattern. [Abstracter's note: Complete translation.]


KRAUS, M.; SKODA, J.

Scientific publications; discussion. Part 9. Chem listy 57 no.1:93-95 Ja 163.

l 42431-65 accession fir: Ap5016915	02/0014/64/000/010/0384/0386	
COMMICTION INTO		
AUTHOR: Skoda, Jan		
	ng circuits with distributed parameters U	
SOURCE: Sdelovaci technika, r		
TOPIC TAGS: electronic circui	t, electronic component	
ABSTRACT: A new method is des	scribed of designing components with distributed para- used for selective circuits described by Kaufsan, but	
	rcuits. Basic properties and sivantages of Kaufman's rt. has: 5 figures, 4 formulas, 4 graphs.	
may also be used for other can cells are described. Orig. an ASSOCIATION: none	rt. has: 5 figures, 4 formulas, 4 graphs.	
may also be used for other circells are described. Orig. as ASSOCIATION: none SUBMITTED: OO	rt. has: 5 figures, 4 formulas, 4 graphs. ENCL: 00 SUB CODE: EC	
may also be used for other can cells are described. Orig. an ASSOCIATION: none	rt. has: 5 figures, 4 formulas, 4 graphs. ENCL: 00 SUB CODE: EC	
may also be used for other circells are described. Orig. as ASSOCIATION: none SUBMITTED: OO	rt. has: 5 figures, 4 formulas, 4 graphs. ENCL: 00 SUB CODE: EC	

ODA, J.						
SUD CE DE	7 - 4		The state of the state of		 The second second	
			1. 1. 1			
		CZECH				
		Mechanism of antibiotic amphenicel, chlorietracycline thesis of glutamic acid decand of tyrosine decarboxyl D. Grilaberger, I. Skodu, as Prague). Units and distributed in the second of tyrosine decarboxic cline (Termycln) as well a formation of glutamic acid dechibit the growth of Straptococci the formation of tyrosine decarboxic decarboxi	action. V. Effect and oxytetracycline arboxylase in Escher	of chilor- in the syn- libia coll		
		D. Grünberger, J. Skoda, a Prague). Chetta-midalteller 13827d.—Chlortetracycline (cline (Termmych) pagesti	nd F. Sorm (Česk. a 1711-12(1943); cf. Aureninych) and ex	fascalis. kad. véd, C. 148,		
		formation of glutamic acid de hibit the growth of Steaptococc the formation of types	s chloramphenicol, in earliexylape in E, cold, cus faccalis, but do not	All in-		
	•	2. Stoome dee	arboxylase. M. H.	dill to		
an amend to be structured as	and the second	The state of the s	· m ver a a quantum man and an estiman			
,	•					
e mandad marcellano en en escrito e replânça en	: ،	هو مراس هم د ماه المعمد والدي ها المستقل المستقل	minimize grand far as to go to gate from the			
		: .				
		*				
•						
			1	1 - 11 45 1	 I _ J	The second secon







"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001551020019-7


SKCDA, JAN Stockhometric relations in the synthesis of lats from phocose and acetic acid in Rhodotorula gracilis. Labor Siechta and Jan Skoda (Vysoká škola chem., Prague, Crock.). Chem. Eftry 47, 1394-1400(1953).—Optimum pH for the assimilation of AcOH and glucose (I) by Rhedolorula gracilis lies between 8.2 and 8.5. No assimilation of AcOH occurs at pH below 5. Respiratory quotients calcd. from the stolchlometric equations agree with those found by expts. (detd. in the Warburg app.). With increasing intensity of fat formation, the respiratory quotient increases whereas the metabolic quotient decreases. After the initial drop of mol. wt. of the fatty acids, the length of the acid chains increases in the course of cultivation.

M. Hudlickt. Chemical Abst. Vol. 48 Apr. 10, 1954 Biological Chemistry






Acidobutyrometric determination of fat in fat-producing yeasts. J. Škoda and L. Šiechta (Chem. Listy, 1955, 49, 1097).—To a mixture of H.50; (10 ml.; d-1-810) and a suspension of fat-producing yeasts (11 ml.), contained in a dairy butyrometer calibrated 0-6%, amylated of 11 ml.) is added, the contents are well mixed and contribuged. Readings are taken after the apparatus has been kept at 60-65° for 5 min. The method is equally accurate and appreciably faster than the extraction procedure of Kleinzeller and Škoda (ibid., 1950, 44,	ityrometric determination of fat in fat-producing yeasts. and L. Slechta (Chem. Listy, 1955, 49, 1097).—To a mixture (10 ml; d-1-810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contrifuged. are taken after the apparatus has been kept at 60—65% for the method is equally accurate and appreciably faster than the method is equally accurate and Skoda (ibid., 1950, 44, G. GLASEK.
4, 7.	ityrometric determination of fat in fat-producing yeasts. and L. Slechta (Chem. Listy, 1955, 49, 1097).—To a mixture (10 ml; d'-1810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contrifuged, are taken after the apparatus has been kept at 60—65% for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Skoda (ibid., 1950, 44, G. GLASEK.
4.7	ityrometric determination of fat in fat-producing yeasts. and L. Slechta (Chem. Listy, 1955, 49, 1097).—To a mixture (10 ml; d-1-810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contrifuged. are taken after the apparatus has been kept at 60—65% for the method is equally accurate and appreciably faster than the method is equally accurate and Skoda (ibid., 1950, 44, G. GLASEK.
4., J.	ityrometric defermination of fat in fat-producing yeasts. and L. Slechta (Chem. Listy, 1955, 49, 1997).—To a mixture (10 ml., d-1-810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contribuged, are taken after the apparatus has been kept at 60—65° for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Škoda (ibid., 1950, 44, G. GLASEK.
4, 7.	ityrometric determination of fat in fat-producing yeasts. and L. Siechta (Chem. Listy, 1955, 48, 1097).—To a mixture (10 ml; d-1810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contribued a are taken after the apparatus has been kept at 60—65% for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Skoda (ibid., 1950, 44, G. Glaser.
4., J.	ityrometric determination of fat in fat-producing yeasts. and L. Siechta (Chem. Listy, 1955, 49, 1997).—To a mixture (10 ml; d-1810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contribuged, are taken after the apparatus has been kept at 60—65% for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Skoda (ibid., 1950, 44, G. GLASEK.
A., J.	ityrometric defermination of fat in fat-producing yeasts. and L. Slechta (Chem. Listy, 1955, 49, 1097).—To a mixture (10 ml.; d-1.810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contribuged, are taken after the apparatus has been kept at 60—65° for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Škoda (ibid., 1950, 44, G. GLASEK.
A., J.	ityrometric determination of fat in fat-producing yeasts. and L. Slechta (Chem. Listy, 1955, 49, 1097).—To a mixture (10 ml; d-1-810) and a suspension of fat-producing yeasts ontained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contriliged, are taken after the apparatus has been kept at 60—65° for the method is equally accurate and appreciably faster than the method is equally accurate and spreciably faster than the method is equally accurate and skoda (ibid., 1950, 44, G. GLASEK.
A., J.	ityrometric determination of fat in fat-producing yeasts. and L. Slechta (Chem. Listy, 1955, 49, 1097).—To a mixture (10 ml; d-1-810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contriliged, are taken after the apparatus has been kept at 60—65° for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Skoda (ibid., 1950, 44, G. GLASEK.
4,7	ityrometric determination of fat in fat-producing years. and L. Siechta (Chem. Listy, 1955, 48, 1097).—To a mixture (10 ml; d-1810) and a suspension of fat-producing yeasts ontained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contribuged, are taken after the apparatus has been kept at 60—65% for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Skoda (ibid., 1950, 44, G. Glasek.
A., J.	ityrometric determination of fat in fat-producing yearts. and L. Siechta (Chem. Listy, 1955, 49, 1097).—To a mixture (10 ml; d·1-810) and a suspension of fat-producing yeasts- contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contribuged, are taken after the apparatus has been kept at 60—65% for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Skoda (ibid., 1950, 44, G. G
4.,7.	ityrometric determination of fat in fat-preducing yearts. and L. Siechta (Chem. Listy, 1955, 40, 1997).—To a mixture (10 ml; d-1810) and a suspension of fat-producing yeasis- contained in a dairy butyrometer calibrated 0—6%, amyl- ml.) is added, the contents are well mixed and contriluged, are taken after the apparatus has been kept at 60—65° for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Skoda (ibid., 1950, 44, G. GLASEK.
A., J.	ityrometric determination of fat in fat-producing yeasts. and L. Siechta (Chem. Listy, 1955, 40, 1097).—To a mixture (10 ml; d·1-810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6% amyl ml.) is added, the contents are well mixed and contribuged. are taken after the apparatus has been kept at 60—65° for the method is equally accurate and appreciably faster than the procedure of Kleinzeller and Skoda (ibid., 1950, 44, G. GLASER.
A., J.	ityrometric determination of fat in fat-producing yeasin, and L. Siechta (Chem. Listy, 1955, 49, 1097).—To a mixture (10 ml; d-1-810) and a suspension of fat-producing yeasis contained in a dairy butyrometer calibrated 0—6%, amylall) is added, the contents are well mixed and contriliged, are taken after the apparatus has been kept at 60—65% for he method is equally accurate and appreciably faster than the ction procedure of Kleinzeller and Skoda (ibid., 1950, 44, G. Glaser.
A., J.	ityrometric determination of fat in fat-preducing years. and L. Siechta (Chem. Listy, 1955, 40, 1997).—To a mixture (10 ml; d·1-810) and a suspension of fat-producing yeasis- contained in a dairy butyrometer calibrated 0—6%, amyl- ml.) is added, the contents are well mixed and contriluged are taken after the apparatus has been kept at 60—65° for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Skoda (ibid., 1950, 44, G. Glaser.
A., J.	ityrometric determination of fat in fat-producing yeasts. and L. Slechta (Chem. Listy, 1955, 49, 1097).—To a mixture (10 ml.; d-1-810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contribuged, are taken after the apparatus has been kept at 60—65° for the method is equally accurate and appreciably faster than etion procedure of Kleinzeller and Škoda (ibid., 1950, 44, G. GLASEK.
A., J.	styrometric determination of fat in fat-producing yeasts, and L. Slechta (Chem. Listy, 1955, 49, 1097).—To a mixture (10 ml; d-1-810) and a suspension of fat-producing yeasts contained in a dairy butyrometer calibrated 0—6%, amyl ml.) is added, the contents are well mixed and contrifuged are taken after the apparatus has been kept at 60—65% for he method is equally accurate and appreciably faster than the method is equally accurate and skoda (ibid., 1950, 44, G. Glaser.
A., J.	styrometric determination of fat in fat-producing yeared L. Slechta (Chem. Listy, 1955, 40, 1097).—To a mix (10 ml; d·1-810) and a suspension of fat-producing yeontained in a dairy butyrometer calibrated 0—6% and l.) is added, the contents are well mixed and contributed the apparatus has been kept at 60—65 he method is equally accurate and appreciably faster than procedure of Kleinzeller and Skoda (ibid., 1950).
A., J.	styrometric determination of fat in fat-producin and L. Slechta (Chem. Listy, 1955, 49, 1097).—To (10 ml.; d-1-810) and a suspension of fat-producin contained in a dairy butyrometer calibrated 0—(ml.) is added, the contents are well mixed and corare taken after the apparatus has been kept at 60 he method is equally accurate and appreciably faction procedure of Kleinzeller and Skoda (ibid., G. 6)
A., J.	styrometric defermination of fat in fat-pround L. Siechta (Chem. Listy, 1955, 49, 1097). (10 mit, d-1-810) and a suspension of fat-prontained in a dairy butyrometer calibrated ml.) is added, the contents are well mixed are taken after the apparatus has been kept he method is equally accurate and appreciation procedure of Kleinzeller and Skoda (in the content of the content of the content of the method is equally accurate and skoda (in the content of t
A., J.	styrometric determination of fat in and L. Slechtic (Chem. Listy, 1955, 49, (10 ml.; d-1-810) and a suspension of contained in a dairy butyrometer caml.) is added, the contents are well rare taken after the apparatus has be the method is equally accurate and action procedure of Kleinzeller and S
A, J.	styrometric determination of and L. Slechta (Chem. Listy, 1 (10 ml; d-1-810) and a suspontained in a dairy butyror ml.) is added, the contents a are taken after the apparatu he method is equally accuration procedure of Kleinzelle
A, J.	atyrometric determind L. Sicchta (Chemind L. Sicchta (Chemind L. Sichta) and contained in a dairy ml.) is added, the coare taken after the a he method is equalication procedure of k
a design	atyrometric d and L. Stecht: (10 ml; d-1-6 contained in ml.) is added are taken aft he method is
e e e e e e e e e e e e e e e e e e e	ityrome and L. i (10 ml.) ontain ml.) is are tak he met
	it in (ionach it
	Acid J. Skoon H.S (II ml. alcohol Readin 5 min. the ex: 184).





SORM, F., akademik; SKODA J.


Antibacterial action of ethyl ether of diazopyruvic acid and its antagenism to leucine (isoleucine) in Escherichia coli. Dokl. AN SSSR no.2:291-294 Mr 156. (MIRA 9:7)

1. Chekhoslevatskaya Akademiya nauk (fer Sorm). 2. Biekhimicheskeye etdeleniye Khimicheskeye instituta Chekhoslevatskoy Akademii nauk, Praga. Predstavlene akademikem A.I. Oparinym. (PYRUVIC ACID) (ESCHERICHIA) (LEUCINE)









TO THE STREET HEAD OF THE STREET HEAD CONTROL OF THE STREET HEAD OF THE STREET STREET

SETO, J.

New discoveries on the concernstatic effect of the analogues of purine and pyrimidine bases.

p. 210. (Chemie, Vol. 9, no. 2, Apr. 1957, Praha, Czecheslovakia)

Monthly Index of East European Accessions (EEAI) LG. Vol. 7, no. 2, February 1958

ShODA, J.; Maso, V.; SOM, F.

"Production of 6-azauracil riboside by Escherichia coll growing in the presence of 6-azauracil. In Men English."

p.1330 (Sbornik Chekhoslovatskikh Khimicheskikh Racot, Vol. 22, no. 4, Aug. 1957, Praha, Czechoslavakia)

Monthly Index of East European Accession (FEAI) LC, Vol. 7, No. 8, August 1958

SKUT: , J. ; HESS, V. ; SORE., F.

"Froduction of 6-azauracil riboside by a culture of Escherichia coli grown in the presence of 6-azauracil."

p. 1194 (Chemicke Listy, Vol. 51, no. 6, June 1957, Fraha, Czechoslovakia.)

Monthly Index of East European Accessions (EEAI) LC, Vol. 7, No. 6 June 1950

ERCLA, J.

DITWIN

PLETCHILLE ORLACHOVINEA PYDICICATA, Vol. 7, no. 1. Feb. 1958

ERCLA, J. Peport or the lot National Convention of the Ozenhoslovak Biochemical Convention p. 65

Monthly Li thof Tach European Accessions (EMAI) Li Vol. 8, no 3

Murch, 1959, Uncla.

PARIZEK, J.; ARIENT, M.; DIENSTBIER, Z.; SKODA, J.

tings (1982 - 1983 - 1983) and the property of the property of

Mechanism of post-irradiation desoxycitidinuria. Cesk. fysiol. 8 no.3:230 Apr 59.

1. Inhorator pro fysiologii a patofysiologii premeny latek CSAV, Vyzkumny ustav hygieny, epidemiologie a mikrobiologie. Fysikalni ustav fak. vseob. lek. KU, Chemicky ustav CSAV, Praha. Predneseno na III. fysiologickych dnech v Brne dne 15. 1.1959.

(NUCLEOSIDES AND NUCLEOTIDES, in urine,
desoxycitidine in x-irradiated animals (Cz))
(ROENTGEN RAYS, eff.
urinary desocycitidine in irradiated animals (Cz))

GUT, J.; MORAVEK, J.; PARKANYI, C.; SKODA, J.; SORM, F.

Nucleic-acid components and their analogues. III. Antimicrobial effect of some pyrimidine analogyes and related compounds. In English. Coll.Cz.Chem. 24 no.9:3154-3162 S 59. (EEAI 9:5)

1. Department of Organic Synthesis and Department of Biochemistry, Institute of Chemistry, Czechoslovak Academy of Science, Prague.

2. Institute for Research, Production and Utilization of Radioisotopes, Prague (for Moravek).

(Nucleic acids) (Pyrimidine)

SKODA, J.; KARA, J.; SORMOVA, Z.

Interaction of 6-azauridine-5-diphosphate with Escherichia coli
polynucleotide phosphoralase. In English. Coll.Cz.Chem. 24 no.11:
3783-3789 E 59. (ERAI 9:5)

Department of Biochemistry, Chemical Institute, Czechoslovak Academy of Science, Prague.
 (Uridine phosphates) (Polynucleotide phosphoralase)
 (Escherichia coli) (Azauridine)

SORM, R.; SKORA, J.

Antimetabolites of mucleic acids as carcinostatic substances. Cas. lek. cesk. 98 no.28:868-873 10 July 59.

1. Biochemicke oddeleni Chemicky ustav, Ceskoslovenska akademie ved, Praha, prednosta akademik Fr. Sorm. F.S., Praha 6, Ma cvicisti 2.

J.S., Praha 12, Mitranska 7.

(GYTOTOXIC DRUGS, eff.
6-azauracil, bacteriol. & carcinostatic properties (Cz))

(URACIL, antag.
same)

KONIG. J.; MODR, Zd.; SKODA, J.; SMAHEL, O.; SORM, Fr.; SVEHLA, Ct.

Prospects of development in the chemotherapy of malignant tumors in Czechoslovakia. Cas. lek. cesk. 98 no.28:877 10 July 59.

1. Interni katedra Ustavu pro doskolovani lekaru v Praze, prednosta doc. dr. O. Smahel, Biochemicke oddeleni Chemickeho ustavu CSAV v Praze, prednosta akademik Fr. Sorm. J. K., Praha-Krc, Budejovicka 800.

(MEOPIASMS, ther. chemother., progr. in Czech. (Cz)) (CHEMOTHERAPY, in various dis. cancer, progr. in Czech. (Cz))

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001551020019-7"

TALL TO SEE THE STATE OF THE ST

SKODA, J.; ERNEST, I.; STANEK, J.; HABERMANN, V.

The relationship between structure and antibacterial effect of unsaturated \(\)-diketones. Coll Cz Chem 26 no.3:874-880 Mr '61. (EEAI 10:9)

1. Institute of Organic Chemistry and Biochemistry, Czechoslovak Academy of Science, Prague, Department of Organic Chemistry, Institute of Chemical Technology, Prague, and the Institute for Clinical Chemistry, Medical Faculty of the Charles University, Plzen. 2. Present Adress: Research Institute for Pharmacy and Biochemistry, Prague (for Ernest)

(Ketones) (Bactericidal action) (Unsaturated compounds)

